

AIRY AIRE

AIR DISTRIBUTION & VENTILATION PRODUCTS

PRODUCT *CATALOGUE*

2025



DIFFUSERS



JET DIFFUSERS



DAMPERS

ONE VISION

To be recognised as a leading and trustworthy provider of high-quality products and services driven by innovation and continuous improvement.

AIRY AIRE

AN ISO 9001 : 2015 CERTIFIED COMPANY



LINEAR FIX BAR GRILLE

- » Manufactured from extruded aluminium
- » Available in 0° / 15° deflection — one-way, two-way and 4-way air throw pattern
- » Double louver grilles also available
- » Finish — powder coated



SQUARE DIFFUSER

- » Standard 4-way square diffuser with removable inner core type
- » Also available in grid type & plaque type
- » Powder coated finish



CIRCULAR DIFFUSER

- » Circular diffuser for supply air / return air application
- » Manufactured from aluminium sheet
- » Available sizes: 150, 200, 250, 300, 375, 450 mm
- » 2-flap butterfly dampers available as per requirement



SLOT DIFFUSER

- » Continuous slot diffuser for supply / return air
- » Manufactured from extruded aluminium — ceiling & sidewall applications
- » Available from 1 to 8 slots
- » Accessories: H/M damper and plenum box | powder coated finish



MULTI CONE JET DIFFUSER

- » Multi cone jet diffuser for supply air
- » Manufactured from aluminium sheet
- » Available sizes: 250, 315, 380 and 450 mm
- » Finish — powder coated



JET NOZZLE EYE BALL TYPE

- » Jet nozzle eye-ball type diffuser for supply air
- » Manufactured from aluminium sheet
- » Available sizes: 150, 200, 250, 275, 315 and 400 mm
- » Finish — powder coated



SPOT DIFFUSER

- » Spot diffuser for supply air
- » Manufactured from aluminium sheet
- » Available sizes: 200, 304, 410 mm
- » Finish — powder coated



EXHAUST / DISC VALVE

- » Exhaust / disc valve for supply and exhaust air
- » Manufactured from mild steel and aluminium
- » Available sizes: 100, 150 and 200 mm
- » Finish — powder coated



FRESH / EXHAUST AIR LOUVER

- » Louver used for fresh / exhaust air application
- » Manufactured from extruded aluminium with bird screen
- » Finish — powder coated



GI VOLUME CONTROL DAMPER

- » Manufactured from galvanised steel frame and blades
- » Self-lubricating steel / lexan bushes with open & close status indicator
- » Available in frame / blade: 20/20 GI, 18/20 GI, 16/16 GI

**BUTTERFLY DAMPER**

- » Single / double flap type available in GI
- » Used as a volume control device in supply, return and exhaust air applications

**BACK DRAFT DAMPER**


- » Back draft / gravity louver dampers available in GI / aluminium finish
- » All blades interconnected using a linkage mechanism

**FIRE DAMPER**

- » Available in motorised / fusible link type
- » Frame and blade in 16G GI

**CIRCULAR INLINE FAN / CABINET INLINE FAN**

- » Inline / cabinet fans used for ventilation & exhaust applications
- » Both fans also available in insulated type for low-noise applications

**FLEXIBLE DUCT**

- » Available in insulated / uninsulated options

GET IN TOUCH

B - 007/28, Site-C, Surajpur Industrial Area,
Greater Noida, Uttar Pradesh - 201308

+91 87009 31741 | +91 88264 59592

sales@airyaire.in
www.airyaire.in



AN ISO 9001 : 2015 CERTIFIED COMPANY

Pictures shown above are only for reference of the product.